





550TRSI Balanced Flue Gas Fire



550TRSI pebbles with 4-sided stainless steel trim and full stainless steel front.



550TRSI with Marseilles limestone mantelpiece and hearth and black trim.



550TRSI with 4-sided black trim.



550TRSI with 3-sided black trim.



550TRSI pebbles with 3-sided stainless steel trim.



550TRSI with Bouviette MDF painted mantelpiece, marble margins and marble hearth.



550TRSI with Crema Marfil Federation mantelpiece includes margins and hearth.



550TRSI with Modena limestone mantelpiece and hearth with black trim.




550TRSI with painted MDF Rosette mantelpiece, classic fascia and black granite hearth.



550TRSI with Brompton limestone mantelpiece and hearth with black trim.

MODEL	HEIGHT		FRONT WIDTH		BACK WIDTH		DEPTH		VIEWING AREA	mjh INPUT	kWh OUPUT
550TRSI-AUF	Actual	Framing	Actual	Framing	Actual	Framing	Actual	Framing	670 × 410	NG 28 LPG 26	NG 5.9 LPG 5.5
	828	883	913	940	653	940	414	420			



Dimensions above are in millimetres and for reference only. We recommend measuring individual units at installation. Assumes the use of I 3mm gyprock.

Refer to installation manual for detailed specifications on installing this product. Heat & Glo reserves the right to update units periodically. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Photos in this brochure may vary in colour and dimension [size] from the actual product.

#### 550 Features

- Top or rear venting options provide installation flexibility
- Zero clearance provides ease of installation and cost savings
- IntelliFire Plus electronic ignition with battery backup your fire will operate during a power outage
- · Realistic ceramic fibre campfire style logs
- Generous array of realistic pebbles
- Shallow 415mm depth makes it ideal for small spaces
- Balanced flue technology provides a sealed combustion chamber, maintaining indoor air quality
- Energy saving 78% efficiency with the authenticity of a traditional fire
- Standard dress guard with mesh provides clean lines and safety
- Multi-function remote with thermostat, 5-level flame height control and 3-speed fan operation
- 170mm top venting/205mm rear venting
- AGA Approval #5666

# IntelliFire Ignition System

With IntelliFire Plus your fire will automatically lower flame heights and cycle on and off in a thermostat mode, thereby reducing fuel consumption and running costs. Never again will you manually light a pilot or bend down to start your fireplace.



All units come standard with the IntelliFire Plus multi-function programmable remote.


### Convenient Operation

Operate the fireplace, adjust the flame height and view the current room temperature all from the comfort of your chair. To protect the little ones, each remote is equipped with a child safety start and a wall bracket should you wish to locate the remote out of reach.

## Balanced Flue Gas Fireplace

A completely sealed system, Heat & Glo balanced flue gas fireplaces draw 100% of combustion air from the outdoors and exhaust all combustion byproducts back outside, with no affect to indoor air quality. In addition, cold air drafts are eliminated and heat output is maximised.

No electricity, power venting or fan are required to operate, eliminating the need for a conventional chimney, and allowing for installation in nearly any room of the home. TR technology, another Heat & Glo invention, allows for venting off the top or rear, providing even greater placement flexibility.



## Call into your nearest Jetmaster showroom

NSW 10 Martin Ave, Arncliffe 02 9597 7222

167 Eastern Valley Way, Castlecrag 02 9958 1777

3/10 Salisbury Rd, Castle Hill 02 9680 7279

17A Lyell St, Mittagong 02 4872 2234

334 Brunker Rd, Adamstown, Newcastle 02 4952 9299

**QLD** 59 Pineapple St, Zillmere 07 3263 4955

SA 19 Marlow Rd, Keswick, Adelaide 08 8371 1222

**VIC** 444 Swan St, Victoria 03 9429 5573 **WA** 277 Lord St, East Perth 08 9228 2600



